




SOUTH DERBYSHIRE SFRA

NEWTON SOLNEY

FLOOD SOURCES

The River Trent, the River Dove and Dale Brook present fluvial flood risk to this area of South Derbyshire.

The mapping shows that no properties are situated within Flood Zones.

The Trent and Mersey Canal passes through the north west of this area.

Searches revealed no reported incidents of groundwater flooding.

LIMITATIONS OF DATA

The Flood Zone 2, Flood Zone 3a and Flood Zone 3b outlines for the River Trent have high confidence as they were derived using a detailed river model. Since no data is available for Flood Zone 3 plus an allowance for climate change for the River Trent, Flood Zone 2 has been used as a proxy and therefore has lower confidence.

FLOOD RISK ASSESSMENT GUIDANCE

In accordance with Planning Policy Statement 25 (PPS25), a risk-based sequential approach should be applied at all stages of planning. Flood Zones are the starting point of the sequential approach. All planning applications for development proposals of 1 hectare or greater in Flood Zone 1 and all proposals for development in Flood Zones 2 and 3 should be accompanied by a site-specific Flood Risk Assessment (FRA).

As a minimum, site-specific FRA's should identify and assess, in more detail than the SFRA, the risks of all forms of flooding to and from the development and demonstrate how these flood risks will be managed, taking climate change into consideration. The FRA should determine the level of vulnerability of the proposed development (Table D.3, PPS25) and the suitability of the vulnerability classification in the relevant flood zone (Table D.3, PPS25). FRA's should provide evidence to assist the Sequential Test and, where necessary, the Exception Test.

Where sites are located in a Flood Zone with a high confidence, modelled flood levels should be available and this should be used to determine minimum requirements, such as finished floor levels and access and egress routes.

Where sites are located in a Flood Zone with a medium or low confidence, the FRA may need to refine the flood outline at this location.

Legend

Watercourse

Flood Zone 3b
(1 in 25 year)

Flood Zone 3a
(1 in 100 year)

Flood Zone 3a
plus climate change

Flood Zone 2
(1 in 1000 year)

Location Overview


Copyright

Some features of this map are based on information provided by the Environment Agency. The Environment Agency is not responsible for the accuracy or completeness of the information provided. The information is provided for general information only and may be subject to change without notice. The information is provided on the basis of the information available at the time of the map's production. The information is provided for general information only and may be subject to change without notice. The information is provided for general information only and may be subject to change without notice.

Scott Wilson

Mansfield L-Centre
Oakham Business Park
Hamilton Way
Mansfield
NG18 5BR

Revision Details	By	Check	Date	Suffix
Drawn	GC	Approved	AW	Stage 1 Check
Job Number	D119938	Drawing Status	FINAL	Scale @ A3
Drawing Number	D119938/E-31			



Job Title		SOUTH DERBYSHIRE SFRA	
Figure Title		PARSONS HILLS	
FLOOD SOURCES		The River Trent and Old Trent Water present fluvial flood risk to this area of South Derbyshire. The mapping shows that no properties are situated within Flood Zones. Searches revealed no reported incidents of groundwater flooding.	
LIMITATIONS OF DATA		The Flood Zone 2, Flood Zone 3a and Flood Zone 3b outlines for the River Trent have high confidence as they were derived using a detailed river model. Since no data is available for Flood Zone 3 plus an allowance for climate change for the River Trent, Flood Zone 2 has been used as a proxy and therefore has lower confidence. Flood Zone 3a for Old Trent Water is derived from broadscale modelling techniques and therefore has medium confidence. The Flood Zone 2 outline is derived from the River Trent	
FLOOD RISK ASSESSMENT GUIDANCE		In accordance with Planning Policy Statement 25 (PPS25), a risk-based sequential approach should be applied at all stages of planning. Flood Zones are the starting point of the sequential approach. All planning applications for development proposals of 1 hectare or greater in Flood Zone 1 and all proposals for development in Flood Zones 2 and 3 should be accompanied by a site-specific Flood Risk Assessment (FRA). As a minimum, site-specific FRA's should identify and assess, in more detail than the SFRA, the risks of all forms of flooding to and from the development and demonstrate how these flood risks will be managed, taking climate change into consideration. The FRA should determine the level of vulnerability of the proposed development (Table D.3, PPS25) and the suitability of the vulnerability classification in the relevant flood zone (Table D.3, PPS25). FRA's should provide evidence to assist the Sequential Test and, where necessary, the Exception Test. Where sites are located in a Flood Zone with a high confidence, modelled flood levels should be available and this should be used to determine minimum requirements, such as finished floor levels and access and egress routes. Where sites are located in a Flood Zone with a medium or low confidence, the FRA may need to refine the flood outline at this location.	
Legend		Watercourse Flood Zone 3b (1 in 25 year) Flood Zone 3a (1 in 100 year) Flood Zone 3a plus climate change Flood Zone 2 (1 in 1000 year)	
Location Overview		Copyright Some features of this map are based on information provided by the Environment Agency. The map is not a representation of the Environment Agency's data and is not to be used for any purpose other than the purpose for which it was created. The map is the property of the Environment Agency and may be reproduced in whole or in part with the permission of the Controller of Her Majesty's Stationery Office. Unauthorised reproduction infringes Crown Copyright and may lead to prosecution or civil proceedings. © South Derbyshire District Council License Number 100019461	
Revision Details		By Check Date Suffix	
Drawn		Approved AW Stage 1 Check Stage 2 Check	
Job Number		D119938 Drawing Status Scale @ A3 Scale	
Drawing Number		FINAL 1:10000 OCT 2008	
		D119938/E-32	
		Scott Wilson Mansfield L-Centre Oakham Business Park Hamilton Way Mansfield NG18 5BR	
		South Derbyshire District Council	



SOUTH DERBYSHIRE SFRA	
Figure Title	
STANTON BY BRIDGE	
FLOOD SOURCES	
The River Trent presents fluvial flood risk to this area of South Derbyshire.	
The mapping shows that no properties are situated within Flood Zones.	
Searches revealed no reported incidents of groundwater flooding.	
LIMITATIONS OF DATA	
The Flood Zone 2, Flood Zone 3a and Flood Zone 3b outlines for the River Trent have high confidence as they were derived using detailed hydraulic modelling techniques. Since no data is available for Flood Zone 3 plus an allowance for climate change, Flood Zone 2 has been used as a proxy and therefore has lower confidence.	
FLOOD RISK ASSESSMENT GUIDANCE	
In accordance with Planning Policy Statement 25 (PPS25), a risk-based sequential approach should be applied at all stages of planning. Flood Zones are the starting point of the sequential approach. All planning applications for development proposals of 1 hectare or greater in Flood Zone 1 and all proposals for development in Flood Zones 2 and 3 should be accompanied by a site-specific Flood Risk Assessment (FRA).	
As a minimum, site-specific FRA's should identify and assess, in more detail than the SFRA, the risks of all forms of flooding to and from the development and demonstrate how these flood risks will be managed, taking climate change into consideration. The FRA should determine the level of vulnerability of the proposed development (Table D.3, PPS25) and the suitability of the vulnerability classification in the relevant flood zone (Table D.3, PPS25). FRA's should provide evidence to assist the Sequential Test and, where necessary, the Exception Test.	
Where sites are located in a Flood Zone with a high confidence, modelled flood levels should be available and this should be used to determine minimum requirements, such as finished floor levels and access and egress routes.	
Where sites are located in a Flood Zone with a medium or low confidence, the FRA may need to refine the flood outline at this location.	
Legend	
Watercourse Flood Zone 3b (1 in 25 year) Flood Zone 3a (1 in 100 year) Flood Zone 3a plus climate change Flood Zone 2 (1 in 1000 year)	
Location Overview	
Copyright	
Some features of this map are based on information provided by the Environment Agency. The map is not a representation of the Environment Agency's data and is not to be used for any purpose other than the purpose for which it was created. The map is the property of the Environment Agency and may be reproduced in whole or in part without the permission of the Controller of Her Majesty's Stationary Office © Crown Copyright. Unauthorised reproduction infringes Crown Copyright and may lead to prosecution or civil proceedings. © South Derbyshire District Council License Number 10073461	
South Derbyshire District Council	
Revision Details	
By Check Date Suffix	
Approved Stage 1 Check Stage 2 Check	
GC AW	
Job Number Drawing Status Scale @ A3	
D119938 FINAL 1:10000	
Drawing Number	
D119938/E-34	
Scott Wilson	
Mansfield L-Centre	
Oakham Business Park	
Hamilton Way	
Mansfield	
NG18 5BR	

Job Title

Figure Title

FLOOD SOURCES

The River Trent, Ramsley Brook, Carr Brook and Blackwell Brook present fluvial flood risk to this area of South Derbyshire.

The mapping shows that some industrial units are situated within Flood Zones associated with Ramsley Brook.

LIMITATIONS OF DATA

FLOOD RISK ASSESSMENT GUIDANCE

As a minimum, site-specific FRA's should identify and assess, in more detail than the SFRA, the risks of all forms of flooding to and from the development and demonstrate how these flood risks will be managed, taking climate change into consideration. The FRA should determine the level of vulnerability of the proposed development (Table D.3, PPS25) and the suitability of the vulnerability classification in the relevant flood zone (Table D.3, PPS25). FRA's should provide evidence to assist the Sequential Test and, where necessary, the Exception Test.

Where sites are located in a Flood Zone with a medium or low confidence, the FRA may need to refine the flood outline at this location.

Flood Zone 3b
(1 in 25 year)

Flood Zone 3a
(1 in 100 year)

Flood Zone 2
(1 in 1000 year)

Flood Zone 3a
plus climate change

Some features of this map are based on information provided by the Environment Agency. Copyright © Environment Agency 2008. This map is based upon Ordnance Survey material with the permission of Ordnance Survey on behalf of the Controller of Her Majesty's Stationary Office © Crown Copyright. Unauthorised reproduction infringes Crown Copyright and may lead to prosecution or civil proceedings. © South Derbyshire District Council Licence Number 100019461

**South
Derbyshire
District Council**



Revision Details		By	Check	Date	Suffix
Drawn	GC	Approved	AW	Stage 1 Check	
JOB Number	D119938	Drawing Status	FINAL	Scale @ A3	
Drawing Number	D119938/E-35				
			1:10000	Date	OCT 2008
				Stage 2 Check	